Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3024	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34
L3	1156	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34
S1	6	(("6047377") or ("5265221") or ("6473791")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:11
S2	6	(("6519766") or ("6529948") or ("5970244")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:13
S4	0	bussiness adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S5	358	business adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S6	0	bussiness adj logic same securit$3 with polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S7	0	bussiness adj logic andsecurit$3 with polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S8	0	bussiness adj logic and securit$3 with polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S9	0	bussiness adj logic and securit$3 same polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15

S10	352	business adj logic and securit$3 same polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S11	249	business adj logic and securit$3 with polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:16
S12	19	business adj logic same securit$3 with polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:53
S13	2	pluggable near3 security adj polic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S14	6691	security near3 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S15	174	security near3 object and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S16	174	security near3 object and business adj logic and (user permission access$3 right level application request$3 test$3 check$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 11:33
S17	133	security near2 object and business adj logic and (user permission access$3 right level application request$3 test$3 check$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S18	35	murren-$-$.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:14
S19	19136	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36

S20	863	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36
S21	2	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj logic and (high adj level near3 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36
S22	104	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj logic and (securit$3 polic$3 rule permission) adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:04
S23	104	(securit$3 polic$3 rule permission assign$3 sét$4 configur$3 user client applicat$3 business logic securit$3 polic$3 rule permission object validat$3 check$3 verif$8 authoriz$6 allow$3 fail$3) and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:33
S24	68	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj logic and (securit$3 polic$3 rule permission) adj object and (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:47
S25	50	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user)and (securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj logic and (securit$3 polic$3 rule permission) adj object and (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:58
S26	114	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user)and (securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj logic and (securit$3 polic$3 rule permission) adj (object module logic) and (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:59

S27	51	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user)and (securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj logic and (securit$3 polic$3 rule permission) adj (object module logic) same (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:14
S28	12	09/135397	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:09
S29	12	(securit$3 polic$3 rule permission assign$3 set$4 configur$3 user client applicat$3 business logic securit$3 polic$3 rule permission object validat$3 check$3 verif$8 authoriz$6 allow$3 fail$3) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:10
S30	12	(securit$3 polic$3 rule permission assign$3 set$4 configur$3 user client applicat$3 business logic securit$3 polic$3 rule permission object validat$3 check$3 verif$8 authoriz$6 allow$3 fail$3 request$3) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S31	2	09/760540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S32	4	"6792462"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S33	59	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj (layer logic) and (securit$3 polic$3 rule permission) adj (object module logic) same (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:15
S34	46	S33 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:14

S35	2	(securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and business adj (layer logic) and business adj layer and (securit$3 polic$3 rule permission) adj (object module logic) same (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:29
S36	190	business adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S37	92	business adj layer and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S38	89	security near2 object and business adj logic and (user permission access$3 right level application request$3 test$3 check$3) and (securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:17
S39	58	security near2 object and business adj logic and (user permission access$3 right level application request$3 test$3 check$3) and (securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and (securit$3 polic$3 rule permission) adj (object polic$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:19
S40	17	security near2 object and (request$3 with (business adj logic)) and (user permission access$3 right level application request$3 test$3 check$3) and (securit$3 polic$3 rule permission) with (assign$3 set$4 configur$3) with (user client applicat$3) and (securit$3 polic$3 rule permission) adj (object polic$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:23
S41	39300	(Rule security permission) near2 (based policy object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:06

S42	197	(Rule security permission) near2 (based policy object) and request$3 with (business adj logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:06
S43	98	(Rule security permission) near2 (based policy object) and request$3 with (business adj logic) and (validat$3 check$3) with (rule security permission) and user with (rule security permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:09
S44	63	(Rule security permission) near2 (based policy object) and request$3 with (business adj logic) and (validat$3 check$3) with (rule security permission) and user with (rule security permission) and granul$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:09
S45	56	(Rule security permission) near2 (based policy object) and request$3 with (business adj logic) and (validat$3 check$3) with (rule security permission) and user with (rule security permission) and granul$ and object adj orient$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:10
S46	56	(securit$3 polic$3 rule permission assign$3 set$4 configur$3 user client applicat$3 business logic securit$3 polic$3 rule permission object validat$3 check$3 verif$8 authoriz$6 allow$3 fail$3 based request$3 granul$) and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:55
S47	138	(securit$3 polic$3 rule permission) with business adj (logic) and (securit$3 polic$3 rule permission) adj (object module logic) and (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:31
S48	53	(securit$3 polic$3 rule permission) with business adj (logic) and (securit$3 polic$3 rule permission) adj (object module logic) and (validat$3 check$3 verif$8) with (securit$3 polic$3 rule permission) and granul$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:33
S49	85	S47 not S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:36

S50	85	S47 not S48 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:36
S51	23	(US-20010047282-$ or US-20020065879-$ or US-20030154172-$ or US-20030145124-$ or US-20030115487-$ or US-20030023473-$ or US-20030009357-$).did. or (US-6473791-$ or US-6047377-$ or US-5265221-$ or US-6820082-$ or US-6016477-$ or US-6385724-$ or US-6487665-$ or US-6523027-$ or US-6560592-$ or US-6574736-$ or US-6601233-$ or US-6792462-$ or US-6442620-$ or US-6473748-$ or US-6779155-$).did. or (US-6604198-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/25 17:54
S52	23	(securit$3 polic$3 rule permission assign$3 set$4 configur$3 user client applicat$3 business logic securit$3 polic$3 rule permission object validat$3 check$3 verif$8 authoriz$6 allow$3 fail$3 based request$3 granul$) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:58
S53	23	(securit$3 polic$3 rule permission assign$3 set$4 configur$3 user client applicat$3 business logic securit$3 polic$3 rule permission object validat$3 check$3 verif$8 authoriz$6 allow$3 fail$3 based request$3 granul$ test$3) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34